

Advanced Adhesive Technologies, Inc. AAT-570 Primer Specification Sheet

Description:

AAT-570 is specially formulated as a primer coat over common sub-floors; concrete, APA approved plywood underlayment, floor patch, self-levels, gypsum cement, and lightweight concrete. This primer will improve spread rates and enhance the performance of the new adhesive. AAT-570 is a high solids, solvent free, acrylic primer that can be used over existing adhesive residue, including old cutback, and when properly applied, effectively creates a chemical barrier between existing adhesive residue and new adhesives used to install most floor covering products.. AAT-570 is highly resistant to alkali and helps to protect the new adhesive from the negative effects of elevated pH. AAT-570 is not recommended for outdoor use.

AAT-570 Primer is protected by the CleanGuard® two-stage antimicrobial. CleanGuard® is a specifically formulated broad-spectrum, anti-microbial agent that protects our adhesives and primers from microorganisms, such as mold or mildew, in both the wet and dry state.

Specifications:

- Application Rate: Up to 350 sq. ft. per gallon
- Non-flammable
- Shelf life: One year from date of manufacture in an unopened container
- Clean-up: Wet (warm, soapy water), Dry (AAT-197 Adhesive Remover)
- DO NOT allow to freeze

Installation Recommendations:

- A. All dust and dirt must be removed from sub-floor surface. All existing adhesive ridges must be made smooth prior to the application of AAT-570. Do not use AAT-570 if solvent or chemical adhesive removers have been used.
- B. AAT-570 can be applied to the sub-floor with a long nap paint roller, garden sprayer, or airless spray equipment. Do not exceed the recommended application rate. Two coats are recommended to ensure complete coverage when the primer is used to encapsulate adhesive residue or as a pH barrier.
- C. Prior to spreading adhesive over AAT-570, it must be allowed to dry clear; approximately 1 hour depending on temperature, humidity, air movement, and sub-floor porosity.

Conditions and Limitations:

- A. AAT-570, sub-floor and room temperature must be at least 65°F at the time of application.
- B. The sub-floor must be clean, dry, and free of oil, grease, wax, excessive moisture emissions and *in situ* RH; ASTM F-1869 max. 5lbs., ASTM F-2170 max. 80%. Before applying the primer the pH of the sub-floor must be 7-10. AAT-570 cannot be used to reduce moisture vapor emissions [MVER]. To reduce MVER below 10lbs. to acceptable levels use AAT-1185 Moisture Emission Sealer. If the sub-floor pH is greater than 10 the alkali must be mitigated prior to applying the primer.
- C. Do not install vinyl sheet goods over AAT-570 when the primer is applied over cutback or asphalt adhesive residue. Discoloration of the sheet vinyl can occur in this application.
- D. Do not use solvent-based or solvent containing adhesives over AAT-570.



Safety Data Sheet

Print Date: May 13, 2015

1. Identification

• Product Name: AAT-570

• **Product Use:** Cut Back Sealer

• Manufacturer: Advanced Adhesive Technologies, Inc.

424 South Spencer Street

Dalton, GA 30721

• Business Phone: 800-228-4583

• Emergency telephone number: Chemtrec 1-800-424-9300

2. Hazard(s) identification

· Classification of the substance or mixture

This product does not meet the criteria for classification as hazardous under the GHS and 29 CFR 1910.1200

Label elements

GHS label elements
 Hazard pictograms
 Signal word
 Hazard statements

• Classification system:

• NFPA rating (scale 0 - 4)

Health = 1 Fire = 0 Reactivity = 0



• HMIS-rating (scale 0 - 4)

Health = 1 Fire = 0

Physical Hazard = 0

3. Composition/information on ingredients

• Chemical characterization: Mixtures • Description: Floor Sealer

Dangerous components:

No hazardous/reportable components

Cas # 7732-18-5	Water	81-84%

• Trade name: AAT-570

4. First-aid measures

- · Description of first aid measures
- After inhalation: Overexposure, remove to fresh air and seek medical attention.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available

5. Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

- Special hazards arising from the substances or mixture: Dried solids can burn and release toxic fumes and vapors.
- · Advice for firefighters
- Protective equipment: Protective clothing and respiratory protective device.

6. Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- Environmental precautions: Dilute with water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust)

Wash area thoroughly with water.

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

· Reference to other sections

See section 7 for information on safe handling

See section 8 for information on personal protection equipment

See section 13 for disposal information

7. Handling and storage

· Precautions for safe handling

Avoid prolonged or repeated contact with skin.

Avoid contact with eyes.

Wash thoroughly after handling.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by store rooms and receptacles:

Store above 40°F. Freeze-thaw stable up to five cycles at 20°F.

- Information about storage in one common storage facility: Not required
- Further information about storage conditions: Protect product from freezing.
- Specific end use(s) No further relevant information available.

8. Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7
- Control parameters
- Components with limit values that require monitoring at the workplace:

This product does not contain any relevant quantities of materials with critical values that have to monitor at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment (see listings below)
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- Breathing equipment: Not necessary if room is well-ventilated
- Protection of hands: Protective gloves

The glove material has to be impermeable and resistant to the product/the substance/ the preparation.

- Material of gloves: latex
- Eye protection: Safety glasses with side shields
 Body protection: Protective work clothing

9. Physical and chemical properties

- Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Thin Liquid
Color: White

Odor: Mild

• Odour threshold: Not determined

•pH-value at 20°C (68°F): 7.5-8.5

• Change in condition

Melting point:UndeterminedBoling point:212°F (100°C)• Flash point:Not applicable• Flammability (solid, gaseous):Not applicable

• Ignition temperature:

Decomposition temperature: Not determined

• Auto igniting: Product is not self igniting

• Danger of explosion: Product does not present an explosion hazard.

• Flammable limits:

Lower: Not determined Upper: Not determined

• Specific gravity at 20°C (68°F): 1.04

Relative density: Not determined
 Vapour density: Not determined
 Evaporation rate: Slower than ether

Solubility in/Miscibility with

Water: Miscible in water, easy to mix

• Solvent content:

Organic solvents: 0.0% Water: 81-84%

• Other information: California VOC Compliance:

Solvent Free Product

SCAQMD Rule 1168: VOC compliant

10. Stability and reactivity

- Reactivity
- Chemical stability
- Thermal decomposition/conditions to be avoided: No decomposition if used according to specifications
- Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: Carbon monoxide and carbon dioxide

11. Toxicological information

- Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:

on the skin: May irritate the skinon the eye: May irritate the eye

• **Sensitization:** No sensitizing effects known.

• Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

• Carcinogenic categories:

• IARC (International Agency for Research on Cancer)

None of the ingredients is listed

• NTP (National Toxicology Program)

None of the ingredients is listed

• OSHA-Ca (Occupational Safety & Health Administrations

None of the ingredients is listed

12. Ecological Information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability: No further relevant information available.
- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- Other adverse effects: No further relevant information available.

13. Disposal Considerations

- Waste treatment methods
- Recommendation: Comply with current regulations
- Uncleaned packaging:
- **Recommendation:** Comply with current regulations.

14. Transport information

• Un-Number		
• DOT, ADR, AND, IMDG, IATA	Not regulated	
UN proper shipping name		
• DOT, ADR, AND, IMDG, IATA	Not regulated	
Transport Hazard class (es)		
• DOT, ADR, AND, IMDG, IATA		
• Class	Not regulated	
Packing group		
• DOT, ADR, IMDG, IATA	Not regulated	
Environmental hazards:	Not applicable	
Special precautions for user	Not applicable	
Transport in bulk according to Annex II of		
MARPOL73/45 and the IBC Code	Not applicable	
Transport/Additional information:	DOT, ADR, IMDG, IATA – Not regulated in transport.	
	Not dangerous according to the above specifications.	
UN "Model Regulation":		

15. Regulatory information

- Safety, health and environmental regulation/legislation specific for the substance or mixture
- Sara

Section 355 (extremely hazardous substances):
None of the ingredients is listed
Section 313 (Specific toxic chemical listings):
None of the ingredients is listed
• TSCA (Toxic Substances Control Act):
All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements,

• Proposition 65

Chemicals known to cause cancer:
None of the ingredients is listed
Chemicals know to cause reproductive toxicity:
None of the ingredients is listed

• (DSL) Canada Domestic Substance List

All components of this product are on the DSL (Canada Domestic Substance list) or are exempt from SDL requirements

• Cancerogenity categories

• EPA (Environmental Protection Agency)

None of the ingredients is listed

• TLV (Threshold Limit Value established by ACHIH)

None of the ingredients is listed

• NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed

16. Other information

Although the information and recommendations set forth in the SDS are presents in good faith and are believed to be correct as of the date of this SDS, AAT makes not representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will AAT or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

Department issuing SDS: Environment protection department

Creation date: May 1, 2015